

BERESFIELD ALUMINIUM STANDARD SIZES

BERESFIELD ALUMINIUM
SINCE 1950



Ph. 0249661342


Design Styles WINDOWS AND DOORS



Sliding



Sliding stacker



Double Hung



Awning



Casement




Fixed Lite



90° Bay Window



Transom Window



Louvre



Bi-fold



Hinged



135° Bay Window



Rake



Circle



Arch

INSTALLATION INFORMATION

- Standard types and stock size windows all available in colonial and curved top sashes
- For stud opening size add 10mm to size given below plus thickness of Jamb Lining if being fitted to window before installing.
- Install frame plumb square straight without twist. The frame is non-load bearing, so ensure that head and sill are not bowed or twisted.
- Stile must be perfectly straight and square to sill. The true and accurate installation of the frame is of utmost importance to the ultimate free running and serviceability of the unit.
- Any departure from this accurate frame fitting will necessitate the supplier relinquishing all responsibility.
- When fixing use only stainless steel or plated nails.
- Window sash balances are completely adjusted before despatch.
- No coupling is required for Double Hung Windows. Continuous heads and sills are used for a simpler trouble free installation eliminating weathering problems.
- Windows can be made to specified sizes, not listed, and are charged at the nearest larger size rate.
- Available in Clear Anodised, Custom Black, Pearl white, Monument, Dune Surfmist All other colours available but will need to be powder coated.
- If Jamb Linings are being fitted before the window is installed, add thickness of material to window size, plus 10mm clearance.

Brochure Information

- ◆ All diagrams shown as viewed from the exterior.
- ◆ All measurements are in millimetres and are coded for ordering purposes.
- ◆ Height is always indicated first – sizes are finished sizes and do not include building-in fin.
- ◆ Please state left or right-hand opening as viewed from the exterior of the building when ordering.
- ◆ Timber reveal lining is available.
- ◆ Timber reveal lining is not fitted to the door sill.
- ◆ All doors are fitted with safety glass and motif.
- ◆ Heavy duty sections may be used depending on the product size and required wind pressure.
- ◆ Non-standard sizes and configurations are available on request.
- ◆ A range of flyscreen options available for all windows and doors.

Colonial Bar Options



Traditional Colonial



Australian Colonial



Hamptons



Traditional Federation



Australian Federation

SLIDING WINDOWS STANDARD SIZES

Legend



		Width (mm)										
STUD OPENING mm		1002	1243	1586	1828	2184	2184	2513	2767	3110	3478	
FRAME SIZE mm		952	1193	1536	1778	2134	2134	2463	2717	3060	3428	
Height (mm)	583	533										
	750	700										
	1091	1041										
	1256	1206										
	1422	1372										
	1516	1466										
	1688	1638										

To calculate the height of a window and highlight unit
 Window height { 1206
 Highlight height { + 429
 Total unit height { 1635

Fixed highlight can be fixed above or below any standard height

429

DOUBLE HUNG STANDARD SIZES

Legend



Stud Opening (Frame Size with reveals + 10mm clearance)

Outer Frame Size (excludes fixing fin & reveals)

Width (mm)

STUD OPENING mm		647	761	888	1002	1117	1222	1450	1705	1934	2162	
FRAME SIZE mm		597	711	838	952	1067	1172	1400	1655	1884	2112	
Height (mm)	1691	1041										
			1059DH	1071DH	1083DH	1095DH	1010DH	1011DH	1014DH	1016DH	1018DH	1021DH
	1256	1206										
			1259DH	1271DH	2183DH	1295DH	1210DH	1211DH	1214DH	1216DH	1218DH	2121DH
	1422	1372										
			1359DH	1371DH	1383DH	1395DH	1310DH	1311DH	1314DH	1316DH	1318DH	1321DH
1516	1466											
		1459DH	1471DH	1483DH	1495DH	1410DH	1411DH	1414DH	1416DH	1418DH	1421DH	
1688	1638											
		1659DH	1671DH	1683DH	1695DH	1610DH	1611DH	1614DH	1616DH	1618DH	1621DH	
1934	1884											
		1859DH	1871DH	1883DH	1895DH	1810DH	1811DH	1814DH	1816DH	1818DH	1821DH	

DOUBLE HUNG STANDARD SIZES

Stud Opening (Frame Size with reveals + 10mm clearance)

Outer Frame Size (excludes fixing fin & reveals)

Width (mm)

STUD OPENING mm		2513	2767	3110	3478	
FRAME SIZE mm		2463	2717	3060	3428	
Height (mm)	1091	1041	1027 DFD	1030 DFD	1034 DFD	
	1256	1206	1224 DFD	1227 DFD	1230 DFD	1234 DFD
	1422	1372	1324 DFD	1327 DFD	1330 DFD	1334 DFD
	1516	1466	1424 DFD	1427 DFD	1430 DFD	1434 DFD
	1688	1638	1624 DFD	1627 DFD	1630 DFD	1634 DFD
	1934	1884	1824 DFD	1827 DFD	1830 DFD	1834 DFD

AWNING WINDOW STANDARD SIZES

		Width (mm)						
		660	960	1260	1560	1860	2160	2460
		610	910	1210	1510	1810	2110	2410
Height (mm)	650							
	950							
	1250							
	1550							
	1850							

Possible Awning /Fixed (F) Window Configurations



1




2



3



4



















5



6

SLIDING DOORS STANDARD SIZES

		Width (mm)				
STUD OPENING mm		1860	2160	2460	2760	
FRAME SIZE mm		1810	2110	2410	2710	
Height (mm)	2130	2100				
			SF2118	SF2121	SF2124	SF2127
Height (mm)	2430	2400				
			SF2418	SF2421	SF2424	SF2427
		Width (mm)				
STUD OPENING mm		2760	3050	3650	4100	
FRAME SIZE mm		2710	3000	3600	4050	
Height (mm)	2130	2100				
			FSF2127	FSF2130	FSF2136	FSF2140
Height (mm)	2430	2400				
			FSF2427	FSF2430	FSF2436	FSF2440

















Viewed from exterior: S = Sliding Panel, F = Fixed Panel

Arrow indicates sliding direction viewed from exterior

SLIDING DOORS STANDARD SIZES

Stud Opening (Frame Size with reveals + 10mm clearance)

Outer Frame Size (excludes fixing fin & reveals)

		Width (mm)					
STUD OPENING mm		3650	4250	5400			
FRAME SIZE mm		3600	4200	5400			
Height (mm)	2130	2100	 FSSF2136	 FSSF2142	 FSSF2154		
	2430	2400	 FSSF2436	 FSSF2442	 FSSF2454		
		Width (mm)					
STUD OPENING mm		2760	3050	3650	4050	4550	
FRAME SIZE mm		2710	3000	3600	4000	4500	
Height (mm)	2130	2100	 FSS2127	 FSS2130	 FSS2136	 FSS2140	 FSS2145
	2430	2400	 FSS2427	 FSS2430	 FSS2436	 FSS2440	 FSS2445

Viewed from exterior: **S** = Sliding Panel, **F** = Fixed Panel

Arrow indicates sliding direction viewed from exterior

102mm LOUVRE GALLERY HEIGHT CHART

To calculate frame height of louvre add 94mm to the height of louvre gallery

Stud Opening (Frame Size with reveals + 10mm clearance)
 Outer Frame Size (excludes fixing fin & reveals)

